

Refrigerated Combo vending machine with 60 slots

Drink and Snack Vending Machine

Designed for unattended retailing





All-steel Thickened Fuselage



Glass defogging system



10 inches touch screen



LED lighting



Integral Foaming Refrigeration



Imported Compressor



Photoelectric Dispensing Detection



Intelligent Cloud System

PRODUCT PARAMETERS

Sophisticated fuselage, just cover an area of 1 m²



Model	TCN-CSC-10C(V10.1)
Name	Snack and Beverage Vending Machine
Outside Dimensions	H: 1985mm, W: 1180mm, D: 850 mm
Weight	330kg
Merchandise type	Maximum about 70choices
Commodity storage	About360~800pcs (according to size of goods)
Interior Storage	6 drawers
Refrigeration temperature	4-25°C(adjustable)
Electricity	100V/240V,50Hz/60Hz
Payment System	Bill, Coin, Coin Dispenser(MDB Protocol)
Standard interface	MDB/DEX


Huge capacity, wider varieties of goods

The more extra capacity you sell, the more you earn.

Slots 60

All beverages **360-800**

layers



Push slot

Conveyor belt slot






Refrigerant

R134A, R513A(Optional), R1234YF(Optional), R290(Optional)

- Energy Level: D(Tested by SGS office)
- Flammable and low toxicity with a safety classification / A3
- Low or zero Ozone Depletion (ODP)
 Low Global Warming Potential (GWP)
- Excellent thermodynamic properties brings high energy efficiency







Strong Electricity, save energy


Excellent and Fast refrigeration system



Double Layer Toughened Glass, Thickened Metal Box

Remote real-time monitoring, fault self-check and protection


The body is explosion-proof and smash-proof, which can resist more than one ton of external force





Thicken galvanized sheet

The corrosion resistance and heat resistance are much higher than that of cold rolled sheet



10.1-inch HD touch screen

HD wide-angle display, support advertising, shopping cart multi-item shopping



Three easy steps to shopping











01/ Select goods

02/ Click to pay

03/ pay



Coin



Banknote



Credit card payment















